

TORİMA

2025



ÜRÜN KATALOĞU

 www.torima.com.tr

 [@torimaturkiye](https://www.instagram.com/torimaturkiye)

 [@torima](https://www.youtube.com/torima)

 0(212) 659 66 37

 info@torima.com.tr

 Akşemsettin mah. Aşık Mahsuni Cd.
No:86 Esenyurt/İSTANBUL



CB-08C STEAM CLEANER



3M CABLE



STRONG STEAM



LARGE WATER CAPACITY

Specifications

Pieces	
Power	2000W
Steam Pressure	4Bar
Voltage	AC220-240V
Boiler Capacity	1.5L

BOX: 1 PCS



JJB-747-II CARPET CLEANER



10M HOSE LENGTH



14L CLEAN WATER CAPACITY



12L DIRTY WATER CAPACITY

Specification

Product Size	1974x167x45mm
Energy Levels	9 Levels Adjustable
Adapter Input	AC/110 V-220V
Certification	CE, ROHS, FCC, PSE

BOX: 1 PCS



CB-902A HAND STEAM CLEANER



3M CABLE



STRONG STEAM



LARGE WATER CAPACITY

Specifications

Pieces	
Power	2000W
Voltage	AC220-240V
Boiler Capacity	1.5L

BOX: 6 PCS



BHRL-04 IPL HAIR REMOVAL



Ice Head



Energy 7-19J



Upgraded 3-IN-1

Specification

Product Size	1974x167x45mm
Energy Levels	9 Levels Adjustable
Adapter Input	AC/110 V-220V
Certification	CE, ROHS, FCC, PSE

BOX: 20 PCS



V22B CARPET CLEANER



2.5M HOSE LENGTH



14L CLEAN WATER CAPACITY



0.2L DIRTY WATER CAPACITY

Specifications

Pieces	
Power	450W, 220V 50/60HZ
Suction	12KPa
Voltage	220-240V
Clean Water Tank	14L
Dirty Water Tank	0.2L
Hose Length	2.5M

BOX: 1 PCS



BHRL-07 IPL HAIR REMOVAL



Ice Head



Energy 7-19J



Upgraded 3-IN-1

Specification

Product Size	1974x167x45mm
Energy Levels	9 Levels Adjustable
Adapter Input	AC/110 V-220V
Certification	CE, ROHS, FCC, PSE

BOX: 20 PCS



CX002B CARPET CLEANER



16M HOSE LENGTH



15L CLEAN WATER CAPACITY



0.8L DIRTY WATER CAPACITY

Specifications

Pieces	
Power	800W
Clean Water Tank	15L
Dirty Water Tank	0.8L
Hose Length	16.5M
Power cord length	5M

BOX: 1 PCS



BHRL-09 IPL HAIR REMOVAL

Specification

Product Size	70x123.4x168mm
Energy Levels	9 Levels Adjustable
Adapter Input	AC/110 V-220V
Certification	CE, ROHS, FCC, PSE

BOX: 20 PCS





ES-1081 WRINKLES REDUCER VIBRATING MASSAGER



DEEP CLEANING



ACOUSTIC VIBRATION



BRIGHT AND TENDER SKIN

Specification

Charging Voltage	5V = 1A
Rated Power	2.5W
Battery Parameter	3.7V = 500mAh
Charging Time	2 Hours
Product Size	5.25" x 3" x 1.25"

BOX: 40 PCS



BX-720 VIBRATION MASSAGE GUN



LONG-TERM BATTERY LIFE



USB RECHARGEABLE



4 MASSAGE HEADS

Specification

Pieces				
Product Weight	550g			
Input Voltage	5V			
Product Size	132x134x50mm			
Motor Power	30W			
Battery	1800mAh			

BOX: 20 PCS



BCM-1138T FOOT SMOOTHER DEVICE

LCD

SKIN DRY

2000mAh

Specification

Rated Power	5W
Battery Capacity	2000mAh
Size	186*75.8mm
Charging Time	5 Hours
Charging Method	Type-C

BOX: 24 PCS



LC-002 VIBRATION MASSAGE GUN

LEVEL ADJUSTMENT

ENERGY SAVING BATTERY

SWITCH CONTROL

Specification

Pieces				
Battery Capacity	1500mAh			
Sound Level	45dB			

BOX: 20 PCS Color:



VNB-01 VIBRATION NECK MASSAGER

3D MASSAGE

RECHARGEABLE BATTERY

VIBRATION MODE

Specification

Rated Voltage	5V =
Rated Power	10W
Battery Capacity	1800mAh
Machine Weight	1290g

BOX: 12 PCS



XK-26C BODY COMPOSITION SCALE

EXTRA LARGE BACKLIT LCD DISPLAY

ULTRA SLIM

STEP-ON TECHNOLOGY

Specification

Dimensions	26*26cm
Unit	KG/LB
Weighting Range	0.05 KG-180 KG
Display Mode	LCD

BOX: 5 PCS



QY-666 VIBRATION NECK MASSAGER

3D MASSAGE

RECHARGEABLE BATTERY

VIBRATION MODE

Specification

Rated Voltage	DC12V
Rated Power	24W
Rated Frequency	50Hz
Input Current	1.5-2.0

BOX: 20 PCS



KY-003 HANDHELD GARMENT STEAMER

STRONG STEAM

FAST HEATING

280ml WATER TANK CAPACITY

Specification

Power	1500W
Heating Time	20s
Water Tank	280ml
Steam Rate	25-28g/min

BOX: 16 PCS Color:





KG-3112 HANDHELD GARMENT STEAMER



STRONG STEAM



FAST HEATING



200 ml
WATER TANK
CAPACITY

Specification

Rated Voltage	220V-240V
Rated Power	1200W
Rated Frequency	50-60Hz
Product Size	20.7*9.2*10.3cm



BOX: 8 PCS



H5 HAIR DRYER



SMART HEAT CONTROL



COLD AIR MODE



3 LEVELS OF
SPEED ADJUSTMENT

Specification

Parts:	
Function:	Dry and Hot Air, Constant Temperature, Negative Ion
Rated Power of the Product:	1200-1400W
Motor Rotation Speed:	120000 Revolutions
Temperature Adjustment:	50/100/120°C
Power Supply Mode of the Product:	110V-220V AC
Wind Speed/Air Pressure:	3km/sec 10kg
Cord Length:	3m/9.8ft

BOX: 10 PCS

Color:



M118 DIGITAL LINT REMOVER



AA BATTERY



TYPE-C



SIX BLADE

Specification

Charging Voltage	DC5V
Rated Power	9W
Battery Capacity	1200mAh
Charging Time	3 Hours
Using Time	2 Hours
Product Size	7x6x13cm

BOX: 80 PCS



K30 SILENT HUMIDIFIER



NANO MIST
SPRAYER



FINE ATOMIZATION



NIGHT LIGHT

Specification

Input Voltage	DC5V
Power	3W
Product Weight	55.3g
Product Size	166*166*90mm
Product Material	ABS+PP+Electronic Original

BOX: 12 PCS



M23 LINT REMOVER



AA BATTERY



TYPE-C



SIX BLADE

Specification

Charging Voltage	DC5V
Rated Power	9W
Battery Capacity	800mAh
Charging Time	3 Hours
Using Time	2 Hours

BOX: 60 PCS



H7 AIR HUMIDIFIER



2000ML CAPACITY



DOUBLE NOZZLE



AMBIENT LIGHT

Specification

Product Size	251*150.8*150.8mm
Rated Voltage	5V-1A
Water Tank Capacity	3000ml
Nozzle	Double Nozzle

BOX: 24 PCS



708 LINT REMOVER



TYPE-C



500 mAh
BATTERY
CAPACITY



SIX BLADE

Specification

Charging Voltage	5V
Rated Power	5W
Battery Capacity	500mAh
Charging Time	2-3 Hours
Using Time	45-50 Minutes
Product Size	15*8*7.5cm

BOX: 80 PCS



SL-168 AROMATHERAPY HUMIDIFIER



ULTRASONIC
TECHNOLOGY



500ML CAPACITY



8 HOURS
WORKING TIME

Specification

Capacity	500ml
Material	PP+ABS+PC
Size	168*128MM
Weight	400g
LED Light	7 Color LED Cycle
Noise	<35db

BOX: 24 PCS

Color:





LT-107C MINI VACUUM CLEANER



Specification

Accessories	
Battery	18650*3*2000 mAh
Rated Voltage	DC7.4V
Max Power	110W
Dust Cup Capacity	0.4L
Air Volume	320L/Min

BOX: 20 PCS



ZC-001 CAR AIR COMPRESSOR



Specification

Dimension	108*108*36mm
Net Weight	495g
Strength	60W
Input Current	PSI, Bar, KPA
Display Unit	kg/cm

BOX: 30 PCS



LT-132 MINI VACUUM CLEANER



Specification

Rated Voltage	7.4V
Input	5V-2A
Product Size	203*212*70mm
Product Weight	415g
Dust Cup Capacity	0.1L

BOX: 30 PCS



TMP-01 PROCLEAN



BOX: 12 PCS



A-031 VACUUM CLEANER



Specification

Pieces	
Product Absorbent Power	3500-6000Pa
Working Time	25-30 Minutes
Dust Box Capacity	0.4L
Nominal Voltage	111V
Maximum Power	120W
Product Noise	65-75dB
Battery Capacity	6000mAh

BOX: 20 PCS

Color: ○ ●



D-015 CAR WASHING MACHINE




Specification

Function Classification	Washer, Spraying for Gardening
Hose Length	5 meters
Power	150W
Water Pump	36-60ml/min
Battery	21V
Pressure	Approximately 3MPa
Flow Rate	Approximately 3.8 liters per minute
Current	Approximately 7A
Charger	0.5A
Battery Shell (Larger)	20A

BOX: 5 PCS

Color: ● ●



VS-22 VACUUM SEALER MACHINE



Specification

Pieces	
Voltage	220-240V
Power	125W
Control Panel	Digital Control Panel
5 Function Settings	Moist, Canister, Seal, Vacuum+Seal, Soft
Usage Area	Suitable for Dry, Moist and Soft Food

BOX: 4 PCS





KYMQ-16-BS ELECTRIC GRINDER SET



LED
LIGHT



MANUAL
ADJUSTMENT



70ML
CAPACITY

Rated Power	25W
Main Material	Stainless Steel, Abs
Capacity	70ml
Product Dimensions	185*73*196mm

BOX: 20 PCS



TY-S888-040 LED GLASS KETTLE



Multiple Security
System



Blue Light
Indicator



Removable
Cover



Easy to Refill

Specification

Capacity	1.8L
Voltage	220V-240V, 50Hz-60Hz
Power	1500W
Plug	Vde Europe Plug, Pure Copper Cable

BOX: 12 PCS



KYMQ-44B-BS ELECTRIC GRINDER SET



LED
LIGHT



MANUAL
ADJUSTMENT



95ML
CAPACITY

Specification

Rated Power	25W
Main Material	Abs, PMMA
Capacity	95ml
Product Dimensions	160*78*195.7mm

BOX: 20 PCS



TY-083-18X29A LED GLASS KETTLE



Multiple Security
System



Blue Light
Indicator



Removable
Cover



Easy to Refill

Specification

Capacity	1.8L
Voltage	220V-240V, 50Hz-60Hz
Power	1500W
Plug	Vde Europe Plug, Pure Copper Cable

BOX: 12 PCS



AV-YM01 COFFEE GRINDER



DOUBLE
PROTECTION



80W
RATED POWER



PUSH
SWITCH

Specification

Capacity	250ml
Rated Power	80W
Rated Voltage	220-240V
Frequency	50Hz-60Hz

BOX: 30 PCS



TY-S888-066 STAINLESS METAL KETTLE



Multiple Security
System



Removable
Cover



Easy to Refill

Specification

Capacity	1.8L
Voltage	220V-240V, 50Hz-60Hz
Power	1500W
Plug	Vde Europe Plug, Pure Copper Cable

BOX: 12 PCS



AV-YM02 COFFEE GRINDER



DOUBLE
PROTECTION



80W
RATED POWER



PUSH
SWITCH

Specification

Capacity	500ml
Rated Power	80W
Rated Voltage	220-240V
Frequency	50Hz-60Hz

BOX: 30 PCS



TY-S888-049 2IN1 LED GLASS KETTLE



Multiple Security
System



Blue Light
Indicator



Removable
Cover



Easy to Refill

Specification

Capacity	1.8L
Voltage	220V-240V, 50Hz-60Hz
Power	1500W
Plug	Vde Europe Plug, Pure Copper Cable

BOX: 12 PCS





201 SINGLE DIGITAL TURKISH COFFEE MACHINE



TEMPERATURE CONTROL



EASY TO WASH



SOUND AND LIGHT ALARM

Specification

Power	400W
Cup Capacity	250 ml (3-4 Cups)
System	Overflow Prevention System
Specification	Voice and Touch On/Off Button

BOX: 12 PCS



LW-20 DESK LAMP



RECHARGEABLE



TOUCH SWITCH



12 HOURS OF BATTERY

Specification

Light Source	LED
Rechargeable Battery	5V/1A 800mAh
Colour	3 Colour Light
Charge Input	Type-C
Applicable	1-3m2
Switch	Touch Switch

BOX: 40 PCS



202 DOUBLE DIGITAL TURKISH COFFEE MACHINE



TEMPERATURE CONTROL



EASY TO WASH



SOUND AND LIGHT ALARM

Specification

Power	400W
Cup Capacity	250 ml (3-4 Cups)
System	Overflow Prevention System
Specification	Voice and Touch On/Off Button

BOX: 12 PCS



LW-21 DESK LAMP



RECHARGEABLE



TOUCH SWITCH



12 HOURS OF BATTERY

Specification

Light Source	LED
Rechargeable Battery	5V/1A 800mAh
Colour	3 Colour Light
Charge Input	Type-C
Applicable	1-3m2
Switch	Touch Switch

BOX: 40 PCS



LW-4 DESK LAMP



RECHARGEABLE



RGB LED



12 HOURS OF BATTERY

Specification

Light Source	LED
Rechargeable Battery	5V/1A 800mAh
Colour	RGB Light
Charge Input	Type-C
Applicable	1-3m2
Switch	Touch Switch

BOX: 40 PCS



LW-27 DESK LAMP



RECHARGEABLE



TOUCH SWITCH



12 HOURS OF BATTERY

Specification

Light Source	LED
Rechargeable Battery	5V/1A 800mAh
Colour	3 Colour Light
Charge Input	Type-C
Applicable	1-3m2
Switch	Touch Switch

BOX: 40 PCS



LW-12 DESK LAMP



3 LED MODE



RECHARGEABLE



TOUCH SWITCH

Specification

Material	ABS+PS
Frontal And Fixed Voltage	5V/1A
Frontal Power	5W
Battery Capacity	18650-1200mAh
Control Mode	Touch Switch Control
Scheme Of Electric Power Supply	USB Charging

BOX: 8 PCS

Color: ● ● ● ●



LW-28 DESK LAMP



RECHARGEABLE



TOUCH SWITCH



12 HOURS OF BATTERY

Specification

Light Source	LED
Rechargeable Battery	5V/1A 800mAh
Colour	3 Colour Light
Charge Input	Type-C
Applicable	1-3m2
Switch	Touch Switch

BOX: 40 PCS





LW-41 DESK LAMP



3 LED MOD



RECHARGEABLE



PORTABLE

Specification

Material	ABS-PS Frontal And Fixed
Frontal Power	3W
Battery Capacity	18650-800mAh
Function Mode	Three Modes Switching
Voltage	5V/1A



BOX: 30 PCS



HY300PRO SMART PROJECTOR



USB



8GB STORAGE



200 ANSI LUMEN

Specification

Brightness	200 ANSI Lumens
Resolution	720P
Contrast Ratio	1500:1
Projection Technique	2.69" LCD TFT Screen
Aspect Ratio	16:9 & 4:3



BOX: 20 PCS

S8 WINDOW CLEANING ROBOT



7CM



80ML



APP CONTROL

Specification

Capacity	80ml
Battery Capacity	650mAh
Rated Power	90W
Rated Voltage	74V



BOX: 1 PCS

HY320S SMART PROJECTOR



DUAL-BAND WIFI



Full HD 1080P RESOLUTION



320 ANSI LUMEN

Specification

Native Solution	1080P (1920x1080)
Brightness(Lumens)	320 ANSI LM
Bulb Life	50000 Hrs
Projection Distance	1M-4M
Projection Size	30-150 inch
Storage(ROM)	8GB
BT	Bluetooth 5.0
Speaker	1X3W
Optical Power	50W



BOX: 18 PCS



HY320 MINI SMART PROJECTOR



USB



8GB STORAGE



200 ANSI LUMEN

Specification

Native Solution	720P (1280x720)
Brightness(Lumens)	200 ANSI LM
Aspect Ratio	16:9
Projection Distance	1M-4M
Projection Size	30-150 inch
Storage(ROM)	8GB
Speaker	1X3W
Optical Power	50W
Working Voltage(V)	AC100-240V/50-60HZ
Standby Power	2.5W



BOX: 16 PCS



HY350 SMART PROJECTOR



Full HD 1080P RESOLUTION



380 ANSI LUMEN



ELECTRONIC FOCUS

Specification

Native Solution	1080P (1920x1080)
Brightness(Lumens)	380 ANSI LM
Aspect Ratio	16:9
Projection Distance	1.2M-4M
Projection Size	40-150 inch
Storage(ROM)	8GB
Speaker	1X5W
Optical Power	80W
Overall Power Consumption	100W
Standby Power	2.5W



BOX: 12 PCS





T11 SMART PROJECTOR



7200 ANSI LUMEN



DUAL-BAND WIFI



GAME MODE

Specification

Display Technology	LED Display Technology
Projective Light Source Life	LED Light Source
Resolution	1920*1080
Projection Size	50-150 INCH
Project Ratio	1.69:1 (50 Inch@1M)
Projection Distance	0.8-5m
Projection Length Ratio	16:9

BOX: 12 PCS

Color: ● ○



TRM-CMR11 360 WI-FI VIDEO CALL CAMERA



HIGH DEFINITION



120° WIDE ANGLE



PTZ CONTROL

Specification

CPU	Dual Core Processor
LCD	IPS 2.8" HD Screen Lens 120° Wide-view
Video Resolution	1920*1080 HD
Height Vision Distance	8M
Network	2.4G Wi-Fi
TF Card Slot	Max 128GB
PTZ Rotation	350° Horizontally, 60° Vertically

BOX: 50 PCS



TA-01 DASH CAM





Specification

Camera Lens	170 A+ level lens
Video Resolution	1920*1080P 1280*720P
Video Format	H.264, Audio: AAC
Photo/Photo Format	500M / JPEG
Memory Card	TF (Max Support 32GB)
Microphone	Support
Current Frequency	50Hz/60Hz
Power Interface	12-23V 2A
Battery	Built-in 200mAh

BOX: 50 PCS




TRM-CMR12 360 WIFI SECURITY CAMERA



Specification

Image Sensor	1/3" CMOS
Resolution	1080P (1920 x 1080)
Lens	3.6mm
Viewing Angle	180° (horizontal), 90° (vertical)
Night Vision	Yes
Two-Way Audio	Yes
Water Proofing	IP65
Operating Temperature	-30°C ~ 60°C
Storage	MicroSD Card (Max 128GB) or Cloud

BOX: 30 PCS



TRM-CMR6 360 CAMERA



Specification

Camera Lens	170 A+ level lens
Video Resolution	1920*1080P 1280*720P
Video Format	H.264, Audio: AAC
Photo/Photo Format	500M / JPEG
Memory Card	TF (Max Support 32GB)
Microphone	Support
Current Frequency	50Hz/60Hz
Power Interface	12-23V 2A
Battery	Built-in 200mAh

BOX: 50 PCS



TRM-CMR13 WI-FI SMART CAMERA



Specification

Pixel	2MP+2MP
Lens	3.6mm Horizontal Viewing Angle: 80°
PTZ Adjustment Function	PTZ Horizontal: 350°, Vertical: 90°
Network	IP-CUT Automatic Switching, 8m
Storage	Micro SD/TF (Max 64GB not included)
Power Supply	AC 110-240V 50-60HZ 6W

BOX: 100 PCS

TRM-CMR10 WI-FI SMART CAMERA



Specification

Resolution	2MP 1080P (up) + 2MP 1080P (down)
Application	ICSEE
Audio Input/Output	Built-in Audio/Microphone (two-way audio)
Lens Size	3.6mm (up) + 3.6mm (down)
Double Light	White Light + IR Light (up); IR Light (down)
PTZ	Horizontal: 355°, Vertical: 90°
Support TF Card	Max up to 128GB TF Card (not included)
Power Supply	DC 5V
Working Conditions	0° to +55°

BOX: 50 PCS



ABM600 BABY CAMERA & MONITOR



Specification

Display:	3.5 Inch
Camera:	1280x720P
View Angle:	60 Degree
Transmission Method:	2.4GHz
Monitor Battery Capacity:	2000mAh
Monitor Dimensions:	133x76x20mm
Transmission Distance:	300M (Open Space)

BOX: 40 PCS



S8 CHILDREN CAMERA




 DYNAMIC MUSIC
  LONG PRESS START
  SOFT LIGHT

Specification

Display	2.0"
Function	Photography/Video/Game/MP3
Lens	Video in 720P, Photo 4800W
Game	Push Box, Gantonous Snake,Tetris
Video Square	AVI
Battery Capacity	600mAh
Extended's Tored	<32G

BOX: 50 PCS Color:   

TRM-CMR18 KIDS CAMERA




 INSTANT PRINT
  FRONT AND REAR DUAL CAMERA
  1080P HD VIDEO

Specification

Contents Of The Box	3 Photo Paper, Strap, Charging Cable
Battery Capacity	1500mAh
Pixel	2400w Pixels
Charging Time	Approximately 2 Hours
Battery Life	Up To 1500 Photos On A Single Charge
Screen	2.4"

BOX: 50 PCS Color:   

TRM-CMR14 KIDS CAMERA




 INSTANT PRINT
  1080P VIDEO
  GAMES

Specification

Product Material	PC shell
Charging Time	2 hours
Product Functions	Photo video + recording and printing photo
Video Resolution	1920*1080
Screen	2.4 - inch high - definition screen
Lens	F18.2
Battery Capacity	1300 mAh

BOX: 30 PCS Color:  



C9 MINI PHOTO PRINTER




 INSTANT PRINT
  FRONT AND REAR DUAL CAMERA
  1080P HD VIDEO

Specification

Power Supply	1200mAh lithium battery
Base Machine Size	80 * 80 * 35 mm
Base Machine Weight	166 g
Single Weight	240 g

BOX: 40 PCS Color:  



TRM-CMR15 KIDS CAMERA




 INSTANT PRINT
  VIDEO CAPTURE
  HD SCREEN

Specification

Product Net Weight	195g
Packing list	host + 3 rolls of printing paper + data cable
Power source	1200mah lithium battery
Connection method	Bluetooth BLE4.0
Display Screen	2.4" 240x320
Battery	18650 Lithium-ion Battery 3.7V/1200mAh
Camera	Front-Pixel:300,000 Angle:50-55° Rear-Pixel:300,000 Angle:60-65°

BOX: 40 PCS Color:  

AC-01 ACTION CAMERA




 4K ULTRA HD
  2 INCH LCD
  WIFI

Specification

Waterproof	30m
Battery	1050mAh
Input/Output	Micro USB/HDMI
Super Wide Angle Lens	170°
Video	4K/25fps, 2.7K/30fps, 1080P 60/30fps

BOX: 20 PCS

TRM-CMR16 KIDS CAMERA




 2.4" SCREEN
  SUPPORT EXTENSIONS
  AUTOFOCUS

Specification

Product size	110*110*45mm
Product Net Weight	195g
Packing list	host + 3 rolls of printing paper + data cable
Power source	600mah lithium battery
Connection method	Bluetooth BLE4.0

BOX: 100 PCS Color:   



ADAPTER & CABLE

C5L SMART CHARGER



FAST CHARGING



SAFE CHARGING



SMART CHIP

Specification

Weight	37.7 gr
Dimensions	74.6x24.1x44.8 mm
Maximum Output Power	20W
Input Values	AC 100-240V, 0.50A, 50-60HZ

BOX: 240 PCS



C18L SMART CHARGER



FAST CHARGING



SAFE CHARGING



SMART CHIP

Specification

Weight	38.5 gr
Dimensions	84.5x27.9x44.4 mm
Maximum Output Power	18W
Input Values	AC 100-240V, 0.50A, 50-60HZ

BOX: 240 PCS



C18 SMART CHARGER



FAST CHARGING



SAFE CHARGING



SMART CHIP

Specification

Weight	38.5 gr
Dimensions	84.5x27.9x44.4 mm
Maximum Output Power	18W
Input Values	AC 100-240V, 0.50A, 50-60HZ

BOX: 240 PCS



C22 SMART CHARGER



USB INPUT



SAFE CHARGING



SMART CHIP

Specification

Weight	27.5 gr
Dimensions	70x23x35.2 mm
Maximum Output Power	10.5W
Input Values	AC 100-240V, 0.35A, 50-60HZ

BOX: 240 PCS



C18T SMART CHARGER



FAST CHARGING



SAFE CHARGING



SMART CHIP

Specification

Weight	38.5 gr
Dimensions	84.5x27.9x44.4 mm
Maximum Output Power	18W
Input Values	AC 100-240V, 0.50A, 50-60HZ

BOX: 240 PCS



C22M SMART CHARGER



USB INPUT



SAFE CHARGING



SMART CHIP

Specification

Weight	27.5 gr
Dimensions	70x23x35.2 mm
Maximum Output Power	10.5W
Input Values	AC 100-240V, 0.35A, 50-60HZ

BOX: 240 PCS



C18M SMART CHARGER



FAST CHARGING



SAFE CHARGING



SMART CHIP

Specification

Weight	38.5 gr
Dimensions	84.5x27.9x44.4 mm
Maximum Output Power	18W
Input Values	AC 100-240V, 0.50A, 50-60HZ

BOX: 240 PCS



C33 SMART CHARGER



FAST CHARGING



SAFE CHARGING



SMART CHIP

Specification

Weight	53.8 gr
Dimensions	95x49.5x27.4 mm
Maximum Output Power	33W
Input Values	AC 100-240V, 0.50A, 50-60HZ
USB-A Output Values	DC 5V-3A/8V-3A/15V-2.2A/20V-1.65A

BOX: 240 PCS





C5T SMART CHARGER



FAST CHARGING



SAFE CHARGING



SMART CHIP

Specification

Weight	37.7 gr
Dimensions	74.6x24.1x4.8 mm
Maximum Output Power	20W
Input Values	AC 100-240V, 0.50A, 50-60HZ

BOX: 240 PCS



AP210 QUICK CHARGE CABLE



FAST CHARGING



1M LENGTH



HIGH DURABLE



TYPE-C INPUT



MICRO INPUT



LIGHTNING INPUT

BOX: 200 PCS



C5 SMART CHARGER



FAST CHARGING



SAFE CHARGING



SMART CHIP

Specification

Weight	37.7 gr
Dimensions	74.6x24.1x4.8 mm
Maximum Output Power	20W
Input Values	AC 100-240V, 0.50A, 50-60HZ

BOX: 240 PCS



AP210 QUICK CHARGE CABLE

TYPE-C TO LIGHTNING



FAST CHARGING



1M LENGTH



HIGH DURABLE

BOX: 200 PCS



C22T SMART CHARGER



FAST CHARGING



10.5W POWER



SMART CHIP

BOX: 240 PCS



U14 QUICK CHARGE CABLE



3.0A OUTPUT



FAST CHARGING



1M LENGTH



TYPE-C INPUT



MICRO INPUT



LIGHTNING INPUT

Specification

Interface	Micro / Lightning / Type-C
Output	5V 2.4A

BOX: 250 PCS



AP210 QUICK CHARGE CABLE

TYPE-C TO TYPE-C



FAST CHARGING



1M LENGTH



HIGH DURABLE

BOX: PCS



U15 FAST DATA CABLE



3.0A



SILICONE CABLE



COMPATIBILITY



TYPE-C INPUT



MICRO INPUT



LIGHTNING INPUT

BOX: 200 PCS

Color

○ ● ●





U35 3IN1 DATA LINES



Specification

Material	Polyester Fiber+Zinc
Function	Charging+Data Transmission
Length	120cm
Currents	5V=

BOX: 200 PCS



TR-10 TYPE-C HEADSET JACK ADAPTER



BOX: 500 PCS



U120 USB TO TYPE-C CHARGING CABLE



Specification

Currents	120W
Length	100cm
Output	USB to Type-C

BOX: 200 PCS



JH-24 LIGHTNING TO 3.5 AUX CABLE



BOX: 500 PCS



U130 TYPE-C TO TYPE-C CHARGING CABLE



Specification

Currents	120W
Length	100cm
Output	USB to Type-C

BOX: 200 PCS



JH-35 TYPE-C TO 3.5 AUX CABLE



BOX: 40 PCS



U150 USB TO LIGHTNING CABLE



Specification

Covering	Nylon
Conductor	Pure Copper
Function	Charging Sync Data Transfer
Length	150cm
Material	ABS+TPE+Metal Alloy
Use	Phone/Tablet/Laptop/Audio Devices

BOX: 200 PCS



XF-09 STEREO 3.5MM AUX CABLE



BOX: 200 PCS



D04 MINI DIGITAL SPEAKER



POWERFUL
BASS



USB



PORTABLE

Specification

Speakers Dimension Impedance	4Ω
Output Power	3W*2
Frequency Response	100Hz-20KHz
S/N	>70db

BOX: 50 PCS



D11 WIRELESS SPEAKER



ABOUT 3 HOURS
USAGE TIME



10M EFFECTIVE DISTANCE



500mAh BATTERY
CAPACITY

Specification

Speaker	5W
Effective Distance	10M
Usage Time	About 3H
Charging Time	2-3H
Standby Time	About 120 Day
Battery Capacity	500mAh

BOX: 100 PCS

Color: ● ● ● ● ●



D05 MINI DIGITAL SPEAKER



POWERFUL
BASS



USB



PORTABLE

Specification

Speaker Impedance	4Ω
Output Power	5W
Frequency Response	90Hz / 20 KHz
Sensitivity	80db ± 2db
SNR	>80db
Distortion	<0.3%

BOX: 50 PCS



D12 MINI PORTABLE SPEAKER



HIGH QUALITY SOUND



TF CARD INPUT



WIRELESS

Specification

Loudspeaker Output	3W
Frequency Response	20Hz-20KHz
Battery Capacity	300mAh
Battery Capacity Voltage	5V(USB)
Playback Time	Up to 2.5 Hours
Battery Charge Time	2 Hours

BOX: 100 PCS

Color: ● ● ●



D09 WIRELESS SPEAKER



HIGH QUALITY SOUND



TF CARD INPUT



WIRELESS

Specification

Wireless Distance	>10M
S/N	>75db
Output Power	3W
Frequency Response	100Hz-20KHz
Battery Capacity	350mAh
Power Supply Voltage	DC 5V

BOX: 100 PCS

Color: ● ●



D13 TWS PORTABLE SPEAKER



USB CHARGE



10M EFFECTIVE DISTANCE



1500mAh BATTERY
CAPACITY

Specification

Power	7W RMS
Battery Type	Lithium Polymer 1500mAh
Frequency Response	85Hz-15KHz
Play Time	Up To 6 Hours
Battery Recharge Time	2 Hours
BT Version	5.2

BOX: 60 PCS

Color: ● ● ●



D10 WIRELESS SPEAKER



WIRELESS



FM RADIO



USB

Specification

Working Distance	10M
SNR	90db
Frequency Response	120Hz-20KHz
Charging	5V/500mA
Unit Size	86*86*90mm
Unit Weight	About 275g

BOX: 100 PCS

Color: ● ● ● ● ● ● ●



D14 TWS MINI PORTABLE SPEAKER



USB CHARGE



FM RADIO



PHONE CALL

Specification

Speaker Parameter	4Ω/5W
Frequency Response	20Hz-20KHz
Battery Capacity	500mAh
Battery Charging Voltage	DC 5V/500mA
Playback Time	1-2 Hours
Battery Charge Time	1 Hour

BOX: 100 PCS

Color: ● ●





D15 MINI PORTABLE SPEAKER



Specification

Bluetooth Version	5.0
Bluetooth Range	10m
Speaker Size	3"
Speaker Power	5W
Charge Time	3H
Playtime	Up To 4H

BOX: 100 PCS



D20 WIRELESS SPEAKER



Specification

Max Spl	87 DB
Frequency Range	50-20,000 HZ
Power In Type	USB-C
Power In Rating	5V/3V/12V/20VmA

BOX: 60 PCS

Color: ● ○



D16 WIRELESS SPEAKER

Specification

Horn Specification	52mm
Output Power	5W
Charging Voltage	DC 5V
Battery Capacity	1200mAh
Playback Duration	2-5H
Charging Duration	2-3H

BOX: 100 PCS

Color: ● ● ● ● ●



D21 WIRELESS SPEAKER

Specification

SPL Max	80dB
Bandwidth	60-20000 Hz
Power Input	5-12 V USB-C

BOX: 60 PCS

Color: ● ○



D17 MINI DIGITAL SPEAKER

Specification

Speaker Impedance	4
Output Power	5W
Frequency Response	90Hz-20KHz
Sensitivity	80db ± 2db
SNR	>80db
Distortion	<0.3%

BOX: 100 PCS



D22 MINI WIRELESS SPEAKER

Specification

Power Input	DC 5V
Frequency Range	100Hz-10KHz
Peak Power	10W
Bluetooth Version	5.3

BOX: 40 PCS

Color: ● ○



D19 WIRELESS SPEAKER

Specification

USB charging	DC5V
Speaker drive size	4"x2"
Battery capacity	1800mAh
Charging time	4 hours
Output power	Mono
Battery capacity	15W
Wireless transmission range	Up to 10m
Max memory support	(USB/SD): 32GB

BOX: 16 PCS



D23 2.1 MINI WIRELESS SPEAKER

Specification

Output	5W+5Wx2(RMS)
Sensitivity	500mV
Frequency Response	20Hz-18KHz
S/N Ratio	65dB
Isolated Rate	45dB
Impedance	4ohm
Speaker Unit	3"x2"x2"
Power	UBV

BOX: 30 PCS

Color: ● ○





D24 MINI PORTABLE SPEAKER



STRONG BASS



TWS



TF CARD

Specification

Working Distance	10M
SNR	>90db
Frequency Response	125Hz-20KHz
Battery	3.7V About 800mAh
Charging	5V/500mAh

BOX: 100 PCS

Color: ● ● ● ● ● ●



D28 WIRELESS SPEAKER



BLUETOOTH



RADIO



MICRO TF



USB



20W
POWER WATTS / RMS

Function

LED Display	Input DC-5V
USB/TF/BT/FM/AUX Radio	Built-in 18650 Battery
High Capacity Lithium Battery	Frequency Response 150-18KHz
Speaker Unit: 8.5 inch*2	FM 87MHz-108MHz
Power Supply: Li Battery	Power Output RMS3±thd 10%

BOX: 6 PCS



D25 WIRELESS SPEAKER



BLUETOOTH



RADIO



MICRO TF



USB



10W
POWER WATTS / RMS

Specification

Power Supply	DC 5V
Connectivity	USB/TF/FM/MIC/BT
Battery Capacity	3.7V 1500 mAh
Music Time	2-3 Hours
Version	5.0+EDR(ADP)
Distance	10M
Output Power	10W
Speaker Size	8inch

BOX: 8 PCS



D29 WIRELESS SPEAKER



BLUETOOTH



Built-in BATTERY



MICRO TF



USB



10W
POWER WATTS / RMS

Specification

Speaker Unit	Input DC-5V
Output Power	Built-in 18650 Battery
Frequency Response	Frequency Response 150-18KHz
S/N	FM 87MHz-108MHz
Battery Capacity	Power Output RMS3±thd 10%
Voltage	DC5V

BOX: 6 PCS



D26 WIRELESS SPEAKER



BLUETOOTH



RADIO



MICRO TF



USB




10W
POWER WATTS / RMS

Specification

Power Supply	DC 5V
Connectivity	USB/TF/FM/MIC/BT
Version	5.0+EDR(ADP)
Distance	10M
Output Power	10W
Speaker Size	8inch
Battery Capacity	3.7V 1500 mAh
Music Time	2-3 Hours

BOX: 8 PCS



D30 WIRELESS SPEAKER



BLUETOOTH



RADIO



WIRELESS MICROPHONE



USB



20W
POWER WATTS / RMS

Specification

Input DC-5V	With LED display
Built-in 18650 Battery	With USB/TF/BT/FM/AUX Radio
Frequency Response 150-18 KHz	With main volume adjusting
Power Output RMS3±thd 10%	High capacity lithium battery
FM 87MHz-108MHz	Speaker unit: 8 inch *2+3 inch *1
Box size 27.2x23x84 CM	Power supply: II

BOX: 6 PCS



D27 WIRELESS SPEAKER



PORTABLE



Built-in BATTERY



WIRELESS MICROPHONE



3600mAh
BATTERY CAPACITY



20W
POWER WATTS / RMS

Specification

BT Version	Wireless BT 5.0
Working Distance	10 Meters
Playing Time	3 Hours (Middle Volume)
Power	50W Maximum Peak Power
Power Supply	110-220V AC / 5V DC
Inner Battery	3600mAh 3.7V Lithium Ion
Jack Plug	3.5mm-4 Rings Stereo
Res. Frequency	200Hz±20% at 0.5V

BOX: 1 PCS



D31 WIRELESS SPEAKER



BLUETOOTH



RADIO



WIRELESS MICROPHONE



USB



20W
POWER WATTS / RMS

Specification

BT Version	5.0
Speaker Unit	8"x3
Channel	Stereo
Power	20W
Features	USB/MP3/FM/BT/MIC IN-PUT
Voltage	DC 5V
P.M.P.O.	9800W

BOX: 1 PCS





D32 WIRELESS SPEAKER



LED LIGHT



MICROFON



USB-TF CARD INPUT

Specification

Speaker Drive Size	3"
Output Power	5W
Frequency Response	100Hz-20KHz
Signal to Noise Ratio	>85db
USB Charging	DC5V
Battery Capacity	600mAh
Max Memory Support (USB/SD)	32GB

BOX: 100 PCS



D36 WIRELESS SPEAKER



TWS



FM/DA210



USB DEVICES



4500mAh BATTERY CAPACITY



POWERFUL BASS

Specification

Output	8W*2
Sensitivity	80db
Speaker Size	6.5" * 2
BT Operation Distance	10m
Battery Capacity	4500mAh
Play Time (80% Volume)	2-3 Hours
Charging Time	4-5 Hours

BOX: 4 PCS



D33 WIRELESS SPEAKER



SPEAKERPHONE



USB CHARGE



10m OPERATING RANGE



8 HOURS OF PLAYTIME

Specification

Bluetooth version	5.4
Material	ABS
Transmission Range	10m
Output Power	120W
Frequency Response	150Hz-18KHz
Distortion	<0.5%
S.N.R	>85db

BOX: 12 PCS



D37 WIRELESS SPEAKER



RGB LED



POWERFUL SOUND



USB

Specification

Output	5W+3Wx2(RMS)
Sensitivity	500mV
Frequency Response	20Hz-18KHz
S/N Ratio	65dB
Isolated Rate	45dB
Speaker unit	4" x 2" x 2"
Power	USBV

BOX: 12 PCS



D34 WIRELESS SPEAKER



USB CHARGE



5 HOURS



STRONG BASS



RADIO

BOX: 12 PCS

Color: ● ● ●



D38 WIRELESS SPEAKER



MAGNETIC ATTRACTION



RGB LIGHT EFFECT



MUSIC/GAME DUAL MODE

Specification

Output	5W+3Wx2(RMS)
Sensitivity	500mV
Frequency Response	20Hz-18KHz
S/N Ratio	65dB
Isolated Rate	45dB
Speaker unit	3" x 2" x 2"
Power	AC220V
Impedance	4ohm

BOX: 18 PCS



D35 WIRELESS SPEAKER



USB/TF



BLUETOOTH



PORTABLE PLAYTIME

Specification

Function	USB/FM/BT/TF/AUX TWS
Battery	18850 3000MA
Antenna Size	105mm*2
Antenna Impedance	4" 30W*2
Charge Voltage	Type-C DC 5V
Charging Time	About 5 Hours
Working Hours	2-5 Hours

BOX: 12 PCS



D39 MAGNETIC WIRELESS SPEAKER



RGB LED



POWERFUL SOUND



USB

Specification

Speaker Parameters:	40mm, 4 3W
Bluetooth Version:	V5.3+EDR, 10m away from rec.
Charging Voltage Input:	DC5V 400MA / Type-C Socket

BOX: 200 PCS Color: ● ● ● ● ● ● ●





D40 MAGNETIC WIRELESS SPEAKER



1200mAh

TWS

TF CARD

Specification

Bluetooth version:	5.3
Max power:	5W
Speaker size:	55mm*1
Frequency:	120Hz-20KHz
Product channels:	Mono
Battery capacity:	3.7V 1200mAh
Illumination unit:	Temperature LED
Playback mode:	Bluetooth, TF

BOX: 30 PCS

Color: ● ●



D44 WIRELESS SPEAKER



USB DEVICES

FM RADIO

TWS

Specification Parameters

Frequency Response	20Hz-18KHz
Battery capacity:	1200mAh
Power Output	10W
Power Output	87.5MHz-108MHz

BOX: 20 PCS

Color: ● ● ●



D41 WIRELESS SPEAKER



BLUETOOTH

TWS

MICRO TF

USB

AUX INPUT

Specification

Bluetooth version:	5.0
Channel:	Stereo
Speaker Unit:	4"x2
Built-in:	USB MP3 Player
Input:	Mic, Aux
Microphone:	Wired Microphone
Voltage:	DC 5V

BOX: 30 PCS



D45 WIRELESS SPEAKER



AUX INPUT

FM RADIO

USB DEVICES

Specification Parameters

Frequency Response	20Hz-18KHz
Battery capacity:	1200mAh
Power Output	10W
Power Output	87.5MHz-108MHz

BOX: 20 PCS

Color: ● ●



D42 WIRELESS SPEAKER



TWS

FM RADIO

USB DEVICES

Specification

Input DC:	5V
Built-in Battery:	1800mAh
Frequency Response:	50Hz-20KHz
Power Output:	12W
FM:	87.5MHz-108MHz

BOX: 30 PCS



D43 WIRELESS SPEAKER



BLUETOOTH

AUX INPUT

MICRO TF

USB

BATTERY CAPACITY

Specification Parameters

Power Output:	10W
Speaker Size:	3x3 inch
Battery Capacity:	1800mAh
Play Time:	Up to 3 Hours
Charging Interface:	DC5V

BOX: 12 PCS



WS-1955 WIRELESS SPEAKER



TWS

FM RADIO

USB DEVICES

Specification

Input:	DC-5V
Built-in:	1500mAh
Frequency Response:	20Hz-18KHz
Power Output:	10W+THD10%
FM:	87.5MHz-108MHz

BOX: 20 PCS

Color: ● ● ● ● ●



WS-858 WIRELESS MICROPHONE



BOX: 50 PCS

Color: ● ● ● ● ● ●



TMK-01 KEYBOARD & MOUSE



BOX: 20 PCS

Color: ● ●



NS-01 NOSTALGIA WIRELESS SPEAKER



Specification Parameters

Radio	AM/FM/SW 2 Band Radio
Battery	1200mAh 18650 Li Battery
Support	Mp3 Format
Music Player	With USB/TF

BOX: 16 PCS



TMK-02 WIRELESS KEYBOARD & MOUSE



BOX: 20 PCS

Color: ● ●



NS-02 NOSTALGIA WIRELESS SPEAKER



Specification Parameters

Radio	AM/FM/SW 2 Band Radio
Battery	1200mAh 18650 Li Battery
Support	Mp3 Format
Music Player	With USB/TF

BOX: 16 PCS

Color: ● ● ●



TMK-03 GAMING KEYBOARD & MOUSE SET



BOX: 20 PCS

Color: ● ●



NS-03 NOSTALGIA WIRELESS SPEAKER



Specification Parameters

Radio	AM/FM/SW 2 Band Radio
Battery	1200mAh 18650 Li Battery
Support	Mp3 Format
Music Player	With USB/TF

BOX: 16 PCS



TMK-04 KEYBOARD & DUAL MOUSE



BOX: 50 PCS

Color: ● ● ● ● ● ●





TMK-05 WIRELESS KEYBOARD & MOUSE



POWER SAVING



USB RECEIVER



10 METERS

BOX: 30 PCS

Color:



TK-01 WIRED KEYBOARD



Plug And Play



Comfortable Buttons



Waterproof Design

Specification

Switch Button Life	>30 Million Times
Operating Voltage	5.0 ± 0.25VDC
Operating Current	<0.5W
Keyboard	104 Primary Keys

BOX: 20 PCS



TMK-06 RGB GAMING MOUSE&KEYBOARD



SUSPENDED KEYCAP



MULTIMEDIA



RUGGED CONSTRUCTION

BOX: 20 PCS



TK-02 WIRED KEYBOARD



Plug And Play



Comfortable Buttons



Waterproof Design

Specification

Switch Button Life	>30 Million Times
Operating Voltage	5.0 ± 0.25VDC
Operating Current	<0.5W
Keyboard	104 Primary Keys

BOX: 20 PCS

Color: ● ○



TMK-07 WIRELESS KEYBOARD & MOUSE



800-1600 DPI Mouse



Height adjustment



LED

BOX: 20 PCS

Color:



TK-03 RGB GAMING KEYBOARD



Suspended Keycap



Multimedia



Rugged Construction

BOX: 20 PCS



TMK-08 KEYBOARD & DUAL MOUSE



Bluetooth



Wireless



Rechargeable

Specification

1. Bluetooth 3.0 Interface Standard	9. Standby Time: >100 Days
2. Operating Distance (10) 10 Meters	10. Charging Time: 3-4 Hours
3. Modulation System: GFSK	11. Battery Capacity: 50mAh/420mAh
4. Operation Voltage: 3.0-4.2V	12. Uninterrupted Working Time: 100 Hours
5. Operation Current: <2.5mA	13. Lithium Battery Life: 3 Years
6. Standby Current: <0.3mA	14. Key Strength: 80N/10g
7. Sleeping Current: <40uA	15. Key Life: 5 Million Strikes
8. Charging Current: >200mA	16. Operating Temperature: -10~+55°C

BOX: 50 PCS

Color:



TK-04 MECHANICAL WIRED KEYBOARD



Easy To Install



Mechanical Keys



9 Led Mode

BOX: 20 PCS

Color:





TK-05 MECHANICAL WIRED KEYBOARD



Easy To Install



Mechanical Keys



9 Led Mode

BOX: 20 PCS



TK-09 WIRED KEYBOARD



PLUG AND PLAY



COMFORTABLE
BUTTONS



WATERPROOF
DESIGN

BOX: 20 PCS

Color:



TK-06 MECHANICAL WIRED KEYBOARD



Easy To Install



Mechanical Keys



9 Led Mode

BOX: 20 PCS

Color:



K-02 WIRELESS MINI KEYBOARD



GAMEPAD



TABLET



PC

BOX: 100 PCS



TK-07 GAMING KEYBOARD



Plug And Play



Comfortable Buttons



Waterproof Design

BOX: 20 PCS



TM-05 WIRED OPTICAL MOUSE



WINDOWS 10
COMPATIBLE



1600
DPI



4.0/3.0
COMPATIBLE

BOX: 150 PCS



TK-08 FOLDABLE WIRELESS KEYBOARD



Bluetooth



Folder Type



Scissor Switch

Specification

Key Number	67 Keys
Key Type	Scissors
Key Travel	18-0.2mm
Rated Voltage/Current	3V 1A

BOX: 50 PCS



TM-06 WIRED OPTICAL MOUSE



WINDOWS 10
COMPATIBLE



1600
DPI



4.0/3.0
COMPATIBLE

BOX: 100 PCS





TM-08 WIRED KEYBOARD



1600 DPI



2.4GHz CONNECTION



10M DISTANCE

BOX: 100 PCS

Color:



TM-13 WIRELESS MOUSE



NANO RECEIVER



BLUETOOTH



2.4 G WIRELESS

BOX: 100 PCS



TM-10 WIRELESS MOUSE



1600 DPI



2.4GHz CONNECTION



10M DISTANCE

BOX: 100 PCS

Color:



TM-14 DUAL MOUSE



NANO RECEIVER



BLUETOOTH



2.4 G WIRELESS

BOX: 100 PCS



TM-11 WIRELESS MOUSE



WINDOWS 10 COMPATIBLE



1600 DPI



4.0/3.0 COMPATIBLE

BOX: 100 PCS

Color:



TM-15 RGB GAMING MOUSE



ANTI SKID ROLLER



PLUG AND PLAY



ERGONOMICS

BOX: 100 PCS



TM-12 DUAL MOUSE



NANO RECEIVER



BLUETOOTH



2.4 G WIRELESS

BOX: 100 PCS

Color:



CF-01 NOTEBOOK STAND & COOLING PAD



5 ADJUSTABLE ANGLE STAND



110RPM SILENT FAN



2 PORT USB HUB

Specification

Dimension (W / D / H)	370x265x33-58mm
Operation Degree	6.5-45°
Fan Speed	700-1400 RPM
Fan Noise	15 dBA (Min.)
Fan Life Expectancy	40,000 Hours
USB Port	USB 11/20 x 2
Cable Length	600mm

BOX: 20 PCS





CF-02 NOTEBOOK STAND&COOLING PAD



140MM SILENT FAN



LIFT TRIPOD AVAILABLE



2 PORT USB HUB

BOX: 20 PCS



P-01 TABLET PEN



MAGNETIC



TYPE-C CHARGE



LONG BATTERY

BOX: 100 PCS



CF-03 NOTEBOOK STAND&COOLING PAD



LIFT TRIPOD AVAILABLE



140MM SILENT FAN



2 PORT USB HUB

Specification

Voltage	5V
Current	0.4A/0.5A
Power	5.5W
Fan Quantity	4PCS
Fan Size	140mm(2pcs)+70mm(2pcs)
Fan Speed	1000-1050RPM

BOX: 20 PCS



GC-03 GAMING CONSOLE



26 GAMES



2xAAA BATTERY



DUMMY CAMERA ON THE BACK

BOX: 12 PCS



CF-04 NOTEBOOK STAND&COOLING PAD



5 ADJUSTABLE ANGLE STAND



125MM SILENT FAN



2PORT USB HUB

Specification

Frame Lighting	RGB LED
Cooler Lighting	Blue LED
Height Adjustments	5 Levels
Power Supply	USB / DC 5V
Air Flow	47-65 CFM
Fan Speed	1200 RPM (*2)

BOX: 10 PCS



CF-05 NOTEBOOK STAND&COOLING PAD



LIGHT SETTING



FAST COOLING



DUAL USB PORT


Specification

Product Size	370x300x31mm
Product Weight	910±10g
Rated Voltage	5V
Fan Speed	2400 10% RPM
Rated Current	0.85A
Input Power	5W

BOX: 18 PCS



TRM-1011 10.000mAh POWERBANK



BOX: 60 PCS

Color: ● ○



TRM-1021 20.000mAh POWERBANK



BOX: 40 PCS

Color: ● ○



TRM-1014 10.000mAh POWERBANK



Specification

USB Line	5V/2A
Type-C Input	5V/3A 9V/2A 12V/1.5A
Type-C Output	5V/3A 9V/2.22A 12V/1.67A
USB Output	4.5V/5A 5V/4.5A 9V/2A 12V/1.5A
Micro Line/Type-C Line/Lightning Line Output	5V/2A
Wireless Output	5W/7.5W/10W/15W

BOX: 80 PCS



TRM-1023 20.000mAh POWERBANK



Specification

Micro/Type-C Input	5V/3A 9V/2A 12V/1.5A (18W)
Lightning Line Output	5V/2.4A (12W)
Type-C Line/USB Output	5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)
Type-C Output	5V/3A 9V/2.22A 12V/1.67A (22.5W)

BOX: 40 PCS



TRM-1015 10.000mAh POWERBANK



Specification

Type-C Input	5V/3A 9V/2A (18W)
Type-C Output	5V/3A 9V/2.22A 12V/1.67A (20W)
USB Output	5V/3A 5V/4.5A 9V/2A 12V/1.5A (22.5W)
Type-C Line Output	5V/3A 5V/4.5A 9V/2A 12V/1.5A (22.5W)
Lightning Cable Output	5V/2A (10W)

BOX: 60 PCS

Color: ● ○



TRM-1025 20.000mAh POWERBANK



Specification


Type-C Input	5V/3A 9V/2A (18W)
Type-C Output	5V/3A 9V/2.22A 12V/1.67A (20W)
USB Output	5V/3A 5V/4.5A 9V/2A 12V/1.5A (22.5W)
Type-C Line Output	5V/3A 5V/4.5A 9V/2A 12V/1.5A (22.5W)
Lightning Cable Output	5V/2A (10W)

BOX: 40 PCS

Color: ● ○



TRM-1016 10.000mAh POWERBANK



BOX: 60 PCS

Color: ● ○



TRM-1033 30.000mAh POWERBANK



Specification

Type-C Input	5V/3A 9V/2A 12V/1.5A
Type-C Output	5V/3A 9V/2.22A 12V/1.67A
USB Output	4.5V/5A 5V/3A 9V/2A 12V/1.5A
Micro Input	5V/2A 9V/2A 12V/1.5A

BOX: 20 PCS

Color: ● ○





TRM-1035 30.000mAh POWERBANK



Specification

Type-C Input:	5V/3A 9V/2A (18W)
Type-C Output:	5V/3A 9V/2.22A 12V/1.67A (20W)
USB Output:	5V/3A 5V/4.5A 9V/2A 12V/1.5A (22.5W)
Type-C Line Output:	5V/3A 5V/4.5A 9V/2A 12V/1.5A (22.5W)
Lightning Cable Output:	5V/2A (10W)

BOX: 20 PCS



TRM-1005 5.000mAh POWERBANK



BOX: 80 PCS

Color: ● ○



TRM-1060 60.000mAh POWERBANK



Specification

Type-C Input:	5V/3A 9V/2A 12V/1.5A
Type-C Output:	5V/3A 9V/2.22A 12V/1.67A
USB Line Output:	5V/2A
Micro/Lightning Output:	5V/2A
USB3/Type-C Line Output:	4.5V/5A 5V/4.5A 5V/3A 9V/2A 12V/1.5A
USB 1/2/3 Output:	5V/2A

BOX: 10 PCS



TRM-1040 40.000mAh POWERBANK



Specification

Capacity:	40.000mAh 222Wh(3.7V)
Input:	Micro/Type-C 5V/2.4A
Output:	USB1/2 5V/2.4A
Total Output:	5V/2.4A

BOX: 10 PCS



TRM-1080 80.000mAh POWERBANK



Specification

Type-C Input:	5V/3A 9V/2A 12V/1.5A
Type-C Output:	5V/3A 9V/2.22A 12V/1.67A
USB Line Output:	5V/2A
Micro/Lightning Output:	5V/2A
USB3/Type-C Line Output:	4.5V/5A 5V/4.5A 5V/3A 9V/2A 12V/1.5A
USB 1/2/3 Output:	5V/2A

BOX: 10 PCS



TRM-1051 50.000mAh POWERBANK



Specification

Capacity:	50.000mAh 222Wh(3.7V)
Input:	Micro/Type-C 5V/2.4A
Output:	USB1/2 5V/2.4A
Total Output:	5V/2.4A

BOX: 10 PCS



W-04 5.000mAh POWERBANK



BOX: 100 PCS



E A R P H O N E S

HD-10 WIRELESS HEADPHONE



Specification

Communication System	Bluetooth
Radio Frequency Range	87.5-108MHz
Speaker Diameter	40mm
Speaker Impedance	32ohm
Speaker Sensitivity	108 $\pm$ 3dB
Frequency Response	20-20000Hz

BOX: 40 PCS

Color: ● ●



HD-30 WIRELESS HEADPHONE

Specification

Frequency Response	20Hz-18KHz
Impedance	32
Playback Time	6-8 Hours
Charge Time	2 Hours
Battery	3.7V 400mAh
Sound System	Hi-Fi Audio

BOX: 40 PCS

Color: ● ○



HD-11 WIRELESS HEADPHONE



Specification

Wireless Version	5.3
Frequency Response	20-20000Hz
Working Range	10m
Standby Time	25H
Music Play Time	18H
Talk Time	18H
Charging Time	About 2H
TF Card Support	Max 32GB

BOX: 80 PCS

Color: ● ● ● ● ● ●



P2961 WIRELESS HEADPHONE



Specification

Frequency Range	20Hz-20KHz
Sensitivity	114 dB/mW
Battery	200mAh
Standby Time	100 Hours

BOX: 60 PCS

Color: ● ● ● ● ● ●



HD-12 WIRELESS HEADPHONE



Specification

Battery	200mAh
Unit	40mm
Stand By Time	100 Hours
Play Time	80 Hours
Frequency Response	20Hz-20KHz
Cord Length	1.2m 80%
Connector	3.5mm Stereo Plug
Sensitivity	112dB/mW

BOX: 80 PCS



P47M WIRELESS HEADPHONE



Specification

Bluetooth	5.0
Support	TF Card
Headphone Port	Unlimited Playtime With AUX Cable
Control Buttons	Wirelessly Operate Devices
Battery	Rechargeable Battery

BOX: 100 PCS

Color: ● ● ● ● ● ●



HD-20 WIRELESS STEREO HEADPHONE



Specification

Acoustics Speaker Diameter	40mm
Speaker Impedance	32ohm
Speaker Sensitivity	108dB $\pm$ 3dB
Frequency Response	20-20000Hz
Compatible Bluetooth Profiles	A2DP, AVRCP, HSP, HFP
Multi-Decoding	MP3/WMA/WAV

BOX: 60 PCS



P68 WIRELESS EARPHONE



Specification

Power	32-10mW $\times$ 2
Plug Diameter	40mm
Frequency Response	120-20000Hz
Protocols Supported	A2DP, AVRCP, HSP, HFP
Charging Voltage	DC 5V
Transmission Range	10m

BOX: 80 PCS

Color: ● ● ● ● ● ●





P9 WIRELESS HEADPHONE



LOUD SOUND



STRONG BATTERY



POWERFUL BASS

Specification

Frequency Response	20Hz-18KHz
Input	DC5V
Battery	150mAh
Material	ABS
Play Time	3-4H
Impedance	32Ω

BOX: 80 PCS

Color: ● ● ● ● ● ●



G40 WIRELESS STEREO HEADSET



QUICK CHARGE



LED
DIGITAL DISPLAY



20H
TALKING TIME

Specification

Material	Polyester Fiber+Zinc
Function	PC+TPU
Length	30cm
Currents	5W+10A
Battery Capacity	140mAh

BOX: 100 PCS



BT-12 BLUETOOTH HEADSET

MICROFON

MUSIC

LI-ION BATTERY

Specification

Bluetooth Version	5.0+EDR
Li-Ion Battery	3.7V/500mAh
Frequency	2.402GHz-2.480GHz
Range	10-15M
Playback Time	15-20H
Standby Time	240H

BOX: 56 PCS



G60 WIRELESS STEREO HEADSET

MICROFON

MUSIC

10M
TRANSMISSION
DISTANCE

Specification

BT Version	5.0
Standby Time	About 90 Days
Transmission Distance	10M
Charging Voltage	DC 5V
Talk Time	About 10H
Battery Capacity	70mAh

BOX: 100 PCS

Color: ○ ● ● ● ● ●



BT-22 BLUETOOTH HEADSET



COMPATIBLE
WITH DEVICES



MICROFON



LI-ION BATTERY

Specification

Version	5.0
Li-Ion Battery	3.7V/500mAh
Frequency	2.402GHz-2.480GHz
Charging Voltage	5V
Range	10-15m
Playback Time	15-20H
Standby Time	240H

BOX: 66 PCS



G70 TWS WIRELESS EARPHONE



HD MICROPHONE



SHOCKING BASS



COMFORTABLE
TO WEAR

Specification

BT Version	5.2
Play Time	8H
Features	Waterproof And Dustproof

BOX: 100 PCS

Color: ○ ● ● ● ● ●



G30 WIRELESS EARPHONE

BT 5.0 VERSION

TOUCH
OPERATION

BILATERAL
HEADSET CALL

Specification

Transmission Range	10m
BT Frequency Range	2.4-2.4GHz
Audio Frequency	20Hz-20KHz
Play Time	About 18H
Charging Voltage	5V-1A
BT Version	V5.3+EDR

BOX: 100 PCS

Color: ● ○



TB-01 WIRELESS NECKBAND

9D
SURROUND

MAGNETIC
SUCTION

POWERFUL
BATTERY

Specification

Version	5.0
Standby Time	400H
Transmission Distance	10M
Charging Voltage	DC 5V
Talk Time	60H
Battery Capacity	500mAh

BOX: 100 PCS





TB-03 WIRELESS NECKBAND



POWERFUL BATTERY



EXTRA BASS



STRONG MAGNETIC

Specification

Bluetooth Version	V5.1
Link Distance	<10
Speaker Unit	10mm
Support Agreement	HSP/HFP/A2DP/AVRCP
Playing Time	100H
Talk Time	100H
Charging Time	3.5H
Battery Capacity	3.7V / 80mAh

BOX: 100 PCS



TB-07 WIRELESS NECKBAND



90 AROUND



MAGNETIC SUCTION



POWERFUL BATTERY

Specification

Wireless Version	V5.3
Battery Capacity	300 mAh
Play Time	150 Hours
Charging Interface	Type-C
Transmission Distance	10-15m

BOX: 100 PCS



TB-04 WIRELESS NECKBAND



POWERFUL BATTERY



90 AROUND



MAGNETIC SUCTION DESIGN

Specification

Bluetooth Version	V5.1
Link Distance	<10
Speaker Unit	10mm
Playing Time	120-130H
Talk Time	120-130H
Charging Time	<3.5H
Battery Capacity	600mAh

BOX: 100 PCS



YD-20 WIRED EARPHONE



MUSIC PLAYER



CALL



POWERFUL BASS

Specification

Frequency Range	6-24,000Hz
Sensitivity	107 dB
Speaker Drivers	10mm

BOX: 200 PCS



TB-05 WIRELESS NECKBAND



150 HOURS



BATTERY CAPACITY



TRANSMISSION DISTANCE

Specification

BT Version	5.3
Standby Time	800H
Transmission Distance	10M
Charging Voltage	DC 5V
Talk Time	About 150H
Battery Capacity	1000mAh

BOX: 100 PCS



YD-21 LIGHTNING TO STEREO EARPHONE



MUSIC PLAYER



CALL



POWERFUL BASS

Specification

Frequency Range	6-24,000Hz
Sensitivity	107 dB
Speaker Drivers	10mm

BOX: 200 PCS



TB-06 WIRELESS NECKBAND



POWERFUL BATTERY



EXTRA BASS



STRONG MAGNETIC

Specification

Wireless Version	V5.3
Battery Capacity	1000 mAh
Play Time	200 Hours
Charging Interface	Type-C
Transmission Distance	10m
Charging Voltage	DC5V

BOX: 100 PCS



S10+ EARPHONE



MUSIC PLAYER



CALL




POWERFUL BASS

Specification

Frequency Range	6-24,000Hz
Sensitivity	107 dB
Speaker Drivers	10mm

BOX: 200 PCS



STRONG BASS



S11+ EARPHONE



MUSIC PLAYER



CALL



POWERFUL BASS

Specification

Frequency Range	6-24,000Hz
Sensitivity	107dB
Speaker Drivers	10mm



BOX: 200 PCS

TC-03 TYPE-C TO STEREO EARPHONE



MUSIC PLAYER



CALL



POWERFUL BASS

Specification

Frequency Range	6-24,000Hz
Sensitivity	107dB
Speaker Drivers	10mm



BOX: 200 PCS

H10 STEREO HEADSET



10 mm
SPEAKER DIAMETER



BUILT-IN MICROPHONE



GOOD SOUND QUALITY

Specification

Frequency Range	6-24,000Hz
Sensitivity	107dB
Speaker Drivers	10mm

BOX: 500 PCS

Color: ☐ ☐



K9 WIRELESS MICROPHONE



INTERVIEW



VLOG SHORT VIDEO



LIVE SHOW

Specification

Full-Band Sound	44.1-48kHz
Input Voltage	5V
Battery Capacity	60mAh
Battery Life	5-6 Hours
Signal to Noise Ratio	64DB
Sensitivity	42dB
Frequency Response Range	20-20kHz

BOX: 100 PCS

- TYPE-C + LIGHTNING 2 MIC
- TYPE-C 2 MIC
- LIGHTNING 2 MIC



TC-01 TYPE-C TO STEREO EARPHONE



MUSIC PLAYER



CALL



POWERFUL BASS

Specification

Frequency Range	6-24,000Hz
Sensitivity	107dB
Speaker Drivers	10mm

BOX: 200 PCS



TC-02 LIGHTNING TO STEREO EARPHONE



MUSIC PLAYER



CALL



POWERFUL BASS

Specification

Frequency Range	6-24,000Hz
Sensitivity	107dB
Speaker Drivers	10mm

BOX: 200 PCS



PHONE HOLDER



JX-002 PHONE HOLDER



Color:
● ● ●

BOX: 100 PCS



JX-006 PHONE HOLDER



BOX: 200 PCS

JX-002 PHONE HOLDER 27CM

Color:
● ● ●



JX-007 PHONE HOLDER

BOX: 400 PCS



JX-004 PHONE HOLDER

BOX: 150 PCS



JX-009 PHONE HOLDER

BOX: 300 PCS



JX-005 PHONE HOLDER

BOX: 100 PCS



JX-010 PHONE HOLDER

BOX: 100 PCS





JX-016 PHONE HOLDER

- ONE-HANDED USE
- STRONG STABILITY
- STRONG MAGNETIC



BOX: 100 PCS



JX-027 PHONE HOLDER

- POWERFUL MAGNETIC
- 360° ARBITRARY ROTATION
- TIGHTEN AND FIRM



BOX: 100 PCS

JX-018 LAPTOP STAND



- FOLDING STORAGE
- 3 KNOTS LIFT ADJUSTMENT
- MULTI-SIZE USE



JX-028 PHONE HOLDER



- MULTI-SCENE APPLICATION
- HORIZONTAL/VERTICAL TIME
- 360° ROTATION

BOX: 50 PCS



JX-023 PHONE HOLDER

- DUAL USE
- 360° ARBITRARY ROTATION
- TIGHTEN AND FIRM



BOX: 100 PCS



JX-029 PHONE HOLDER

- POWERFUL MAGNETIC
- 360° ARBITRARY ROTATION
- TIGHTEN AND FIRM



BOX: 200 PCS

JX-026 PHONE HOLDER



- SECURITY STABILITY
- 360° ROTATION
- MAGNETIC SURFACE



JX-32 PHONE HOLDER



- 360° ANGLE ADJUSTMENT
- STABLE WITHOUT SHAKING
- TIGHTEN AND FIRM

BOX: 100 PCS





JX-035 PHONE&PAD HOLDER

- ROTATING ANGLES
- ANTI SHAKE
- UNOBSTRUCTED VISIBLE FIELD



BOX: 40 PCS



JX-046 CAR PHONE HOLDER

- TRIPOD
- 360° FREE ROTATION
- ANTI SHAKE



BOX: 200 PCS

JX-036 PHONE&PAD HOLDER



- SECURITY STABILITY
- TRIANGULAR STABILITY
- 360° ROTATION




JX-047 PHONE HOLDER



BOX: 60 PCS



- SECURITY STABILITY
- MINI FOLDABLE
- ANGLE ADJUSTMENT



JX-037 PHONE HOLDER

- MAGNETIC SURFACE
- SECURITY STABILITY
- 360° ROTATION



BOX: 200 PCS



JX-048 PHONE HOLDER

- TRIANGULAR STABILIZATION
- 360° ROTATION
- TAKE PUT ONE HAND



BOX: 100 PCS

JX-038 PHONE HOLDER



- TAKE PUT ONE HAND
- ARBITRARY ROTATION
- TIGHTEN AND FIRM



JX-049 TABLET HOLDER

BOX: 60 PCS



- ROTATING ANGLES
- ANTI SHAKE
- PHONE AND TABLET COMPATIBLE





JX-050 TABLET HOLDER

- ROTATING ANGLES
- ANTI SHAKE
- PHONE AND TABLET COMPATIBLE



BOX: 60 PCS



W10 3IN1 WIRELESS CAR CHARGING



OVERVOLTAGE PROTECTION



OVERCHARGE PROTECTION



TEMPERATURE PROTECTION

Specification

Input	12V/1.5A 9V/2A 5V/3A
Phone Output	15W/10W/7.5W/5W
Watch Output	2.5W
Earphone Output	2.5W
Input Interface	Type-C
Charging Distance	<8mm
Charging Efficiency	>75%



BOX: 50 PCS

JX-051 PARKING CARD



- MAGNETIC NUMBER
- EASY ACCESS
- ANTI SHAKE



W13 WIRELESS CAR CHARGING



WIRELESS CHARGING



15W





POWERFUL MAGNETIC

Specification

Input Interface	USB Car Charger Power Source
Output	15W/10W/7.5W/5W
Input	9V-2A 5V-2.4A

BOX: 100 PCS




JX-052 PHONE HOLDER

- ONE-HANDED USE
- STRONG STABILITY
- STRONG MAGNETIC



BOX: 100 PCS



W14 WIRELESS CAR CHARGING



ULTRA-THIN METAL FUSELAGE



BUILT-IN BATTERY



360°

Specification

Input Voltage	5V/2A 9V/1.67A
Output Power	15W/10W/7.5W
Charging Distance	5mm
Rated Frequency	110-205KHz

BOX: 50 PCS




JX-053 PHONE HOLDER



- HORIZONTAL/VERTICAL TYP
- MULTI-SCENE APPLICATION
- 360° ROTATION



MODULATOR & TRANSFORMER



X8 CAR CHARGER MP3 PLAYER



FAST CHARGING



CONVERSATION



BLUETOOTH

BOX: 100 PCS



G-14 CAR WIRELESS FM MODULATOR



VERSION 5.0



HANDS FREE CALLING



USB

BOX: 100 PCS



G9 CAR CHARGER



FAST CHARGING



CONVERSATION



BLUETOOTH

BOX: 200 PCS



C2 CAR CHARGER



SECURITY CHIP



FIREPROOF MATERIAL



FAST CHARGE

BOX: 200 PCS



G10 CAR WIRELESS FM MODULATOR



FAST CHARGING



CONVERSATION



BLUETOOTH

BOX: 200 PCS



C3 CAR CHARGER 2 USB PORT



SECURITY CHIP



FIREPROOF MATERIAL



FAST CHARGE

BOX: 120 PCS



G11 CAR CHARGER



FAST CHARGING



USB



NAVIGATION BROADCAST

BOX: 200 PCS



C3 CAR CHARGER TYPE-C & USB PORT



SECURITY CHIP



FIREPROOF MATERIAL



FAST CHARGE

BOX: 120 PCS





YD-30 TYPE-C TO USB HUB



U DISK



USB-C



4 PORT

BOX: 100 PCS



YD-43 TYPE-C TO HDMI 4IN1



U DISK



USB-C



4 PORT

BOX: 200 PCS



YD-32 4 PORT 3.0 USB HUB

5 Gbps

30 CM

LED INDICATION

Specification	
LED	Blue (Power)
Max Data Transfer Rate	USB3.0:5Gbps/USB2.0:480Mbps
Power	DC5V
Dimensions	102(W)x45(D)x25mm(H)

BOX: 100 PCS




YD-44 TYPE-C TO HDMI 5IN1

U DISK

USB-C

5 PORT

BOX: 100 PCS



YD-35 USB 2.0 WIRELESS

600 Mbps

USB 2.0

WIRELESS

Specification	
Frequency Band	2.4GHz ISM
Radio Channel	1-14 Channels
Data Security	WPA/WPA-PSK, WPA2, WPA2-PSK, TKIP/AES
Host Interface	High-Speed USB2.0/1.1 Interface

BOX: 500 PCS



YD-46 TYPE-C TO HDMI 6IN1

U DISK

USB-C

6 PORT

BOX: 100 PCS



YD-40 USB/OTG HUB TYPE-C

FILE ENCRYPTION

CONTACT BACKUP

FILE MANAGEMENT

Specification	
Supported Memory Card	Socket 1: SD, *MINISO, HS MICRO, EXTREME SD, EXTREME II SD, ULTRA SD, ULTRA II SD, ULTRA II SD PLUS, SD-ULTRA-X, ULTRA SPEED SD, SD PRO, SDHC, SDXLITE PRO, HS SD, MMC, MMC 4.0, HS MMC, HS RS MMC, *RS MMC, RS MMC 4.0, *MMC MOBILE, *MMC MICRO, MMC PLUS, MMC 4.2 Socket 2: MICROSD(T-Flash)
Features	2 Memory Card Sockets Easy Plug & Play Installation Rapid Data Transfer High-Speed USB2.0 & Micro USB2.0

BOX: 100 PCS



YD-47 TYPE-C TO HDMI 7IN1

U DISK

USB-C

7 PORT

BOX: 100 PCS





YD-49 USB TO TYPE-C 5IN1 HUB



U DISK



USB-C



5
4 PORT

BOX: 100 PCS



F-10 MINI FAN



NATURAL WIND



REMOVABLE BATTERY



USB CHARGING

Specification

Speed Mode	3rd Gear
Input Voltage	5V
Input Current	0.2-0.4A
Output Voltage	3-4.5V
Output Power	1.5W
Battery Voltage	3.7V
Charging Time	2-4H

BOX: 72 PCS

Color: 



YD-68 USB TO TYPE-C ADAPTER



PLUG AND PLAY



3.0A



HIGH DURABLE

BOX: 500 PCS



F-12 MINI FAN



STRONG AIR



SILENT



USB INPUT

Specification

Input Voltage	5V
Input Current	0.5-1A
Charging Time	4-6H

BOX: 144 PCS

Color: 



YD-70 USB TO TYPE-C ADAPTER



PLUG AND PLAY



USB TO TYPE-C
INTERFACE



HIGH DURABLE

BOX: 500 PCS



F-13 MINI FAN



USB CHARGE



RECHARGEABLE
BATTERY



QUIET BRUSH
MOTOR

Specification

Frequency Range	100HZ-20KHZ
Working Time	4-10H
Working Power	1W
Working Voltage	3.7V
Motor Speed	6000rpm
Charging Time	2H
Built-in Battery	800mAh

BOX: 100 PCS

Color: 



YD-76 USB 2.0 HUB



480
mbps
FAST DATA
TRANSFER



PLUG AND PLAY



LED LIGHT

Specification

Interface	USB 2.0
Data Transfer Rate	1.5Mbps/12Mbps/ up to 480Mbps
Power Limit Current Protection	500mA

BOX: 200 PCS



F-14 MINI FAN



USB CHARGE



RECHARGEABLE
BATTERY



QUIET BRUSH
MOTOR

Specification

Frequency Range	100HZ-20KHZ
Working Time	4-10H
Working Power	1W
Working Voltage	3.7V
Motor Speed	6000rpm
Charging Time	2H
Built-in Battery	800mAh

BOX: 60 PCS

Color: 





F-15 MINI FAN



Specification

Light Power	5W
Voltage	5V
Current	1A
Wind Speed	5 Gear Speed Adjustment
Light	3 Brightness
Battery Capacity	800 MA
Power Supply	USB

BOX: 40 PCS

Color: ● ● ● ●



ACC-20 AIR COOLING COOLER



Specification

Rated Input	5V/0.1A
Sound	Mute&Cooling

BOX: 100 PCS



F-16 MINI FAN



Specification

Product Power	2.5W
Battery Voltage	3.7V
Input Voltage/Current	5V-2A
Product Weight	200G
Product Material	ABS/PC/PCB

BOX: 100 PCS

Color: ● ● ● ●



ACC-10 AIR COOLING COOLER



Specification

Rated Input	5V/0.4A
Sound	Quiet Cooling

BOX: 100 PCS



ACC-20 AIR COOLING COOLER



Specification

Size	60x94.5x39mm
Charging Input	5V/1.5A
Connect Port	Type-C

BOX: 100 PCS



M01 PORTABLE GIMBAL STABILIZER



BALANCED
STABLE



FILL
LIGHT



LIGHTWEIGHT
PORTABLE

Specification

Working Time	8H
Battery	3600mAh
Product Size	16.5x11.9x5.0cm
Product Weight	378g
Clamping Range	55-90mm

BOX: 30 PCS



8810 TRIPOD



360°



BLUETOOTH



DURABLE

Specification

Color	Black
Product Size	150cm

BOX: 20 PCS



L15 LIGHT REINFORCED TRIPOD



360°



REMOTE
CONTROL



BLUETOOTH

Specification

Material	ABS+Stainless Steel
Folded Length	210mm
Extended Length	1140mm
Battery	CR15S2(Replaceable)

BOX: 50 PCS



8830 TRIPOD



360°



BLUETOOTH



DURABLE

Specification

Power Cord	1.2m Power Cord
Power Supply	11-220V
Boot Time	3s

BOX: 10 PCS



L16 SELFIE TRICK TRIPOD



360°



REMOTE
CONTROL



BLUETOOTH

Specification

Material	ABS+Aluminum Alloy
Folded Length	336mm
Extended Length	1575mm
Battery	CR1632(Replaceable)
Mount Holder	65-100mm

BOX: 30 PCS



C10 SELFIE TRICK TRIPOD



360°



REMOTE
CONTROL



BLUETOOTH

Specification

Main Material	ABS+Aluminum Alloy
Clamping Range	50-93mm
Folded Length	382mm
Extended Length	1842mm

BOX: 30 PCS



8850 TRIPOD



360°



BLUETOOTH



DURABLE

Specification

Storage Size	58cm
Product Load-Bearing	3kg
Material	Aluminum Alloy+ABS
Working Height	57-168cm

BOX: 10 PCS

